



## **Change Log**

**June 20, 2001**

RIXML Specification Version 1.0

Not for distribution unless authorized by RIXML.org

RIXML.org Limited ("RIXML") is a UK incorporated company. Site content is provided solely by RIXML and is not representative of the views of any one shareholder. Unless otherwise stated RIXML is solely responsible for site content. Terms and conditions of use are published on the web site at [www.rixml.org](http://www.rixml.org). Copyright 2000, 2001. All rights reserved.



This document outlines the discrete changes between the draft and release versions of the RIXML specification

### **Root Tag**

“Research” is the root tag for a discrete piece of research. The Research class is the root of the RIXML Specification. “Product” is now the first child off the root class

### **Bounding Elements**

The Elements that aggregate to the Context Package have been logically grouped and bounded by grouping elements in the following fashion:

#### **Aggregations to Context:**

ProductClassification  
ProductDetails  
IssuerDetails

ProductClassification is now a grouping element for the following elements:

KeywordClassification (which bounds Keywords)  
MarketIndex  
Subject  
Discipline  
Country  
Region  
AssetClass  
AssetType  
SectorIndustry

ProductDetails is now a grouping element for the following elements.

ProductSeries  
ProductCategory  
ProductFocus  
IntendedAudience

IssuerDetails is now a grouping element for multiple issuers

### **Versioning**

RIXML.org namespace has been updated to include year and month for purposes of versioning.



### **Enum Change**

In the Recommendation Enumeration we have included “Initiate” and “Drop”.

### **Strings**

The maximum and minimum string lengths have been applied where appropriate. (i.e. maximum 2 chars for country, maximum 3 chars for language)

### **TeamMember**

To simplify and rationalize the relationship between TeamMember and Person, the relationship type has been changed from aggregation to inheritance. The team member element will now contain through this inheritance the attributes and elements previously encapsulated by person.

### **Address**

Address.CountryCode has changed to Address.Country. It is no longer to be populated with the ISO country code. It will be populated with the country display string.

### **Elements and Attributes**

For consistency, some elements were changed to attributes.

ContactInfo.contactType  
IntendedAudience.audienceType  
Region.regionType  
IssuerID.idType  
SecurityID.idType

### **Content**

We chose to replace the “Value” tag in instances where it made more sense to have the content of the parent tag be the value.

AssetClass  
AssetType  
SecurityType

### **Versioning**

Sequence has been added to resource.